



OUTDOOR GYM EQUIPMENT

COMMERCIAL CATALOGUE

- Galvanized & powder-coated construction
- Commercial-grade pipe and base plates
- Support for delivery, installation and service



PROJECT-READY OUTDOOR FITNESS RANGE

Heavy-duty fitness solutions for parks, schools, institutions, residential societies and commercial projects.

FitPro Fitness Equipment | Gorakhpur, Uttar Pradesh

01 CHEST & SHOULDER PRESS PUSH & PULL



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

02 SINGLE CHEST PRESS



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

03 SHOULDER JOINT EXERCISER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

04 ROWING EXERCISER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 90/100 mm
- Thickness: 12 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

05 SEATED PEDAL PRESS



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

06 SKY / DOUBLE WALKER TRAINER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

07 CROSS ELLIPTICAL TRAINER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 114 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

08 AEROBIC SEATED PEDALING CYCLE



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 100 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

09 BODY PULL & PUSH-UP PARALLEL BAR



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

10 SITTING & STANDING TWISTER - DOUBLE



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

11 MONKEY BAR



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 90 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

12 SURFING BOARD



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 100 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 150 mm
- Dimension: 1000 x 600 x 1400 mm
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

13 SURF BOARD EXERCISER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

14 TAI-CHI / ARM EXERCISER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

15 POMMEL HORSE



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 100 mm & 60 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 150 mm
- Dimension: 2150 x 800 x 800 mm
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

16 SINGLE SIT-UP BENCH



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

17 DOUBLE SIT-UP BENCH



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

18 AIR WALKER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 100/114 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

19 BODY WAIST TWISTER - TRIPLE



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

20 HORSE RIDER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

21 BACK STRETCHER SINGLE



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

22 LEG STRETCHER



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 110/115 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

23 BENCH FIXED WEIGHT



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 90 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

24 BENCH WITH FIXED DUMBBELLS



- Premium quality
- Project-grade finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 90 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

25

PARALLEL BAR SINGLE



PROJECT-GRADE BUILD

- Premium quality construction
- Project-grade outdoor finish
- After-sales support

TECHNICAL SPECIFICATIONS

- Main Pipe Dia: 90 mm
- Thickness: 3.2 mm & 5 mm
- Base Plate Dia: 200 mm
- Dimension: As per specification
- Galvanized & powder coated (AkzoNobel)

Seamless G.I. pipe construction with durable finish.

OUTDOOR PROJECT SUPPORT

For site-wise quantity planning, installation support and final quotation, contact the FitPro team.

COMMERCIAL TERMS

Built for outdoor performance. Designed for public-use durability.

Outdoor gym machines are manufactured using seamless G.I. pipe, commercial base plates and durable galvanized / powder-coated finishes.

01

GST & FREIGHT

18% GST and transportation charges are extra unless specifically included in the final quotation.

02

PAYMENT

100% payment in advance, or as mutually agreed and stated in the confirmed FitPro quotation.

03

DISPATCH & INSTALLATION

Machines are dispatched in fitted position wherever practical. Final grouting / civil foundation work is to be arranged by the client unless included separately.

04

COMMERCIAL VALIDITY

Technical specifications, colour combinations and availability are subject to confirmation at the time of order.

FITPRO FITNESS EQUIPMENT

Kundan Complex, Hotel Bobina Road, Gorakhpur - 273001

Call / WhatsApp: 7317023456

Email: sales.fitpro@gmail.com | Web: www.thefitpro.shop